



Translation of Database of Registered Variety (by the MAFF)

Database of Registered Variety (Flowering plants)

'Sunmariro' (Verbena)

Registration No.: 10647

Date of Registration: September 30, 2002

Common Name: Verbena

No photo

Denomination of Variety: Sunmariro

Term of Validity: 20 years

Name of Owner: Suntory Flowers Ltd.

Address of Owner: 7-2, Koujimachi

5-chome, Chiyoda-ku, Tokyo

Name of Breeder: Yasunori Yomo

#### Summary of Characteristics of the Registered Variety

This variety was selected from inbred seedlings of a strain owned by the applicant, and bred. The flower color thereof is vivid purplish red, and the variety is suitable for potting and flower bedding. The growth habit is creeping, the plant width and height are medium. The stem diameter is medium, the anthocyanin pigmentation is absent, the pubescence is normal, the stem prickles are absent, the branching is slightly many, the subterranean stem is absent, and the length of internode is medium. The phyllotaxis is opposite. The leaf shape corresponds to type II, the leaf incision is absent, the leaf margin is serrate, the leaf length is short, the leaf width is narrow, the leaf color is green, the leaf pubescence is normal, the petiole is present, and the diameter thereof is medium and the length thereof is short. The shape of cluster corresponds to type II, the cluster length is short, the cluster diameter is medium, the flower opens upwardly, the outward curvature of petal thereof is slightly curved, the flower size is large, the flower height is medium, the flower color is vivid purplish red (J.H.S. 9707), the eye, the variegation and the color gradation are both absent, the petals do not overlap each

other, the incision of the petal is present, the number of petals is medium, the calyx incision is present, the calyx length is long, the anthocyanin pigmentation of the apex is present, the pistil shape is two lobed, the number of stamens number is medium, the anther apex is greenish yellow, the peduncle diameter is thin, the length thereof and the number of flowers are medium, and the flower fragrance is absent. The present variety is distinguishable from 'Sunmariripi' in that the flower color is vivid purplish red and so on, and from 'Sunmariripi' in that the flower color is purplish red, the flower eye is absent and so on.

#### Summary of the breeding history of the registered variety

The present variety was selected from inbred seedlings of a strain owned by the applicant, in a greenhouse at Hakusyu-cho, Kitakoma-gun, Yamanashi-ken in 1997. Afterward, the examination of the characteristics was continued while propagating and the breeding was completed in 1999 by confirming that the characteristics were stable.



## 品種登録データベース（草花類）

■ サンマリロ（バーベナ）

登録番号	第10647号
登録年月日	2002/09/30
農林水産植物の種類	バーベナ
登録品種の名称	サンマリロ
品種登録の有効期限	20年
品種登録者の名称	サントリーフラワーズ株式会社
品種登録者の住所	東京都千代田区麹町五丁目7番地2

登録写真はありません

登録品種の育成をした者の氏名

四方康範

登録品種の植物体の特性の概要

この品種は、出願者所有の育成系統の自殖実生から選抜、育成されたものであり、花は鮮紫赤色で鉢物及び花壇向きの品種である。草姿はほふく、株の広がり及び高さは中である。茎の太さは中、アントシアンが発色の有無は無、毛の多少は中、とげの有無は無、分枝性はやや多、地下ほふく性は無、節間長は中である。葉序は対生、葉身の形はⅡ型、葉の切れ込みの有無は無、葉縁の形は鋸歯状、葉長は短、葉幅は狭、葉色は緑、葉の毛の多少は中、葉柄の有無は有、太さは中、長さは短である。花房の形はⅡ型、花穂長は短、花穂径は中、花の向きは上向き、花形は平咲き、花径は大、花筒長は中、花色は鮮紫赤（JHS カラーチャート9707）、花弁中央部の目、絞り及びぼかしの有無は無、花弁の重なりは開く、裂片の欠刻の有無は有、花弁数は中、がくの切れ込みの有無は有、長さは長、先端部のアントシアンの有無は有、雌ずいの形は2裂、雄ずいの数は中、葯先端部の色は黄緑、花柄の太さは細、長さ及び花数は中、花の香りは無である。「サンマリロ」と比較して、花色が鮮紫赤であること等で、「サンマリロ」と比較して、花色が鮮紫赤であること、花弁中央部の目が無いこと等で区別性が認められる。

登録品種の育成の経過の概要

この品種は、平成9年に出願者の温室（山梨県北巨摩郡白州町）において、出願者所有の育成系統の自殖種子をは種し、その中から選抜、以後、増殖を行いながら特性の調査を継続し、11年にその特性が安定していることを確認して育成を完了したものである。

▶ 品種登録者の名称及び住所